EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	532	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L2	239	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L3	62	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L4	948	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L5	826	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L6	638	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L7	2200	L1 L2 L3 L4 L6 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L8	1	L7 and ((enhancement near3 (legacy old previous)) near3 (application program$4))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L9	104018	(GDI "graphic device interface" graphic$2 near3 (interfac$3 subcomponent$2 subprogram $2))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L10	1156	L7 and (GDI "graphic device interface" graphic$2 near3 (interfac$3 subcomponent$2 subprogram$2))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L11	136	L10 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat$4 near layer$1))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L12	17	("5146593" | "5327529" | "5550563" | "5600776" | "5604896" | "5734597" | "5819091" | "5909684" | "5933144" | "5946487" | "5974256" | "6005568" | "6049329" | "6066181" | "6085120" | "6128011" | "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/08 22:10

L13	5	("4903217" | "4910704" | "5475812" | "5522025" | "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/08 22:10
L14	1697	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L15	3	L14 and ((enhancement near3 (legacy old previous)) near3 (application program$4))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L16	1025	L14 and (GDI "graphic device interface" graphic$2 near3 (interfac$3 subcomponent$2 subprogram$2))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L17	123	L16 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat$4 near layer$1))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L18	3	("20020089542" | "20020196281" | "6571253"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/08 22:10
L19	1	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L20	4	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L21	118	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L22	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L23	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L24	21	L21 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L25	6	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10

L26	15	L24 not L25	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L27	8396	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L28	637	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L29	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2008/05/08 22:10
L30	13	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L31	5	("4159532" | "4719570" | "4821211" | "4967190" | "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/08 22:10
L32	75790	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L33	2	L32 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L34	43	L32 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L35	15	L32 and ((dummy mock blank) with token) and window$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L36	149	((dummy mock blank) with token) and window$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L37	8	((dummy mock blank) with token) with window$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10

L38	13	((dummy mock blank) with token) same window$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L39	5	L38 not L37	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L40	532	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L41	239	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L42	62	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L43	948	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L44	638	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L45	2200	L40 L41 L42 L43 L44 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L46	1156	L45 and (GDI "graphic device interface" graphic$2 near3 (interfac$3 subcomponent$2 subprogram$2))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L47	136	L46 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat$4 near layer$1))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L48	21	L47 and token	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L49	2	L47 and dummy	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L50	22	L47 and null	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L51	23	L47 and blank	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L52	92	L46 and token	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L53	1	L46 and token and dummy	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10

L54	19	L46 and token and blank	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L55	0	("(irect$4redirect$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2008/05/08 22:10
L56	99291	(direct$4 redirect$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L57	108	(direct$4 redirect$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L58	52	(direct$4 redirect$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L59	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L60	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L61	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L62	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L63	32	L59 not L62	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L64	2	"6549218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L65	985	"aid keys"and legacy.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10

L66	1	10/749125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L67	7	immediate same compositional same mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L68	4	immediate same compositional same mode and handle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L69	1	immediate same compositional same mode and handle with window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L70	826	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L71	638	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L72	948	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L73	532	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L74	239	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L75	62	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L76	2200	L73 L74 L75 L72 L71 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L77	1	L76 and ((enhancement near3 (legacy old previous)) near3 (application program$4))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10

L78	104018	(GDI "graphic device interface" graphic$2 near3 (interfac$3 subcomponent$2 subprogram$2))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L79	1156	L76 and (GDI "graphic device interface" graphic$2 near3 (interfac$3 subcomponent$2 subprogram$2))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L80	17	("5146593" | "5327529" | "5550563" | "5600776" | "5604896" | "5734597" | "5819091" | "5909684" | "5933144" | "5946487" | "5974256" | "6005568" | "6049329" | "6066181" | "6085120" | "6128011" | "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/08 22:10
L81	136	L79 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat$4 near layer$1))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L82	5	("4903217" | "4910704" | "5475812" | "5522025" | "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/08 22:10
L83	1697	(715/762,764.ccls.) and (@ad<="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L84	3	L83 and ((enhancement near3 (legacy old previous)) near3 (application program$4))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L85	1025	L83 and (GDI "graphic device interface" graphic$2 near3 (interfac$3 subcomponent$2 subprogram$2))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L86	123	L85 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat$4 near layer$1))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L87	3	("20020089542" | "20020196281" | "6571253").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/08 22:10
L88	1	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L89	4	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L90	118	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10

L91	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L92	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L93	21	L90 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L94	6	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L95	15	L93 not L94	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L96	8396	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L97	637	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L98	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2008/05/08 22:10
L99	13	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L100	5	("4159532" | "4719570" | "4821211" | "4967190" | "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/08 22:10
L101	75790	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L102	2	L101 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10

L103	43	L101 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L104	15	L101 and ((dummy mock blank) with token) and window$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L105	149	((dummy mock blank) with token) and window$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L106	8	((dummy mock blank) with token) with window$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L107	13	((dummy mock blank) with token) same window$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L108	5	L107 not L106	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:10
L109	62	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L110	948	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L111	638	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10
L112	239	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L113	532	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/05/08 22:10
L114	2200	L113 L112 L109 L110 L111 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2008/05/08 22:10

L115	1156	L114 and (GDI "graphic device interface" graphic$2 near3 (interfac$3 subcomponent$2 subprogram$2))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:11
L116	136	L115 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat$4 near layer$1))	US-PGPUB; USPAT	OR	ON	2008/05/08 22:11
L117	23	L116 and blank	US-PGPUB; USPAT	OR	ON	2008/05/08 22:11
L118	21	L116 and token	US-PGPUB; USPAT	OR	ON	2008/05/08 22:11
L119	2	L116 and dummy	US-PGPUB; USPAT	OR	ON	2008/05/08 22:11
L120	22	L116 and null	US-PGPUB; USPAT	OR	ON	2008/05/08 22:11
L121	92	L115 and token	US-PGPUB; USPAT	OR	ON	2008/05/08 22:11
L122	1	L115 and token and dummy	US-PGPUB; USPAT	OR	ON	2008/05/08 22:11
L123	19	L115 and token and blank	US-PGPUB; USPAT	OR	ON	2008/05/08 22:11
L124	0	("(irect$4redirect$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2008/05/08 22:11
L125	99291	(direct$4 redirect$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:11
L126	108	(direct$4 redirect$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:11
L127	52	(direct$4 redirect$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:11
L128	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:11
L129	32	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:11

L130	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:11
L131	32	L129 not L130	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:11
L132	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:11
L133	2	"6549218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:44
L134	1	10/749125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 22:53

5/9/2008 12:07:57 AM
C:\ Documents and Settings\ NAugustine\ My Documents\ EAST\ Workspaces\ Thuy Workspaces
\ 10749125_VisualEnhancement_322.wsp